Tuberculosis surveillance and monitoring in Europe 2019





2017 data

Poland

Total population at 23 April 2018 by EUROSTAT: 37 972 964

TB case notifications, 2017

Total number of cases	5 787		
Notification rate per100 000	15.2		
New ^a and relapses	5 535		
New ^a and relapses notification rate per 100 000	14.6		
Pulmonary	5 531	(95.6%)	
of which microscopy-positive	2 498	(45.2%)	
of which laboratory-confirmed	4 057	(73.4%)	
Laboratory-confirmed TB cases	4 179	(72.2%)	
Mean age of new native TB cases	53.9	53.9 years	
Mean age of new foreign TB cases	35.4	35.4 years	
Foreign origin of all TB cases	108	(1.9%)	
New (not previously treated)	5 127	(88.6%)	

^a Cases with unknown previous treatment included in new cases.

Drug resistance surveillance and TB/HIV coinfection, 2017

Completeness of DRS data ^a	Υ	es
Completeness of HIV datab		-
Case-linked data reporting	Υ	es
Cases with DST results	3 809	(91.1%)
Estimated RR-TB among notified pulmonary cases N, (best-low-high)	80-59-100	
Pulmonary MDR-TB cases notified	44	(1.2%)
of which XDR-TB cases	5	(14.3%)
Notified MDR-TB	44	(1.2%)
of which XDR-TB cases	5	(14.3%)
TB cases tested for HIV	-	-
HIV-positive TB cases	-	_
of these on ART	-	-


 $[^]a$ National coverage 100% or culturing \ge 90%, C+/all TB cases > 50%, DST done for C+ > 75%, EQA \ge 95%. b More than 50% of TB cases with reported HIV status.

Treatment outcome monitoring


Geographical coverage	Nat	ional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2016 ^a		All MDR-TB cases notified in 2015 ^b	
Case-linked data reporting	Yes			
Cases notified	3 973		35	
Success	2 199	(55.3%)	11	(31.4%)
Died	400	(10.1%)	6	(17.1%)
Failed	2	(0.1%)	0	(0.0%)
Lost to follow-up	209	(5.3%)	1	(2.9%)
Still on treatment	19	(0.5%)	1	(2.9%)
Not evaluated	1144	(28.8%)	16	(45.7%)

 $^{^{\}rm a}$ Treatment outcome as presented is treatment outcome after 12 months. $^{\rm b}$ Treatment outcome as presented is treatment outcome after 24 months.


TB notification rates by treatment history, 2008-2017



New and relapsed TB cases – notification rates by age group, 2008–2017




TB cases by geographical origin, 2008-2017




TB/HIV coinfection, 2008-2017

Data not available

MDR-TB cases by previous treatment history, 2008-2017



Treatment outcome, new culture-confirmed pulmonary TB cases, 2007–2016



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2019 – 2017 data. Stockholm: ECDC; 2019