Tuberculosis surveillance and monitoring in Europe 2019





2017 data

Portugal

TB case notifications, 2017

Total number of cases	1800		
Notification rate per 100 000	17.5		
New ^a and relapses	1760		
New ^a and relapses notification rate per 100 000	17.1		
Pulmonary	1290	(71.7%)	
of which microscopy-positive	750	(58.1%)	
of which laboratory-confirmed	945	(73.3%)	
Laboratory-confirmed TB cases	1106	(61.4%)	
Mean age of new native TB cases	52.6	52.6 years	
Mean age of new foreign TB cases	38.4	38.4 years	
Foreign origin of all TB cases	351	(19.5%)	
New (not previously treated)	1680	(93.3%)	

a Cases with unknown previous treatment included in new cases.

Drug resistance surveillance and TB/HIV coinfection, 2017

Completeness of DRS data ^a	Yes	
Completeness of HIV datab	Yes	
Case-linked data reporting	Yes	
Cases with DST results	738	(66.7%)
Estimated RR-TB among notified pulmonary cases N, (best-low-high)	19-10-27	
Pulmonary MDR-TB cases notified	10	(1.5%)
of which XDR-TB cases	0	(0.0%)
Notified MDR-TB	10	(1.4%)
of which XDR-TB cases	0	(0.0%)
TB cases tested for HIV	1 183	(65.7%)
HIV-positive TB cases	135	(11.4%)
of these on ART	-	-


 $[^]a$ National coverage 100% or culturing \ge 90%, C+/all TB cases > 50%, DST done for C+ > 75%, EQA \ge 95%. b More than 50% of TB cases with reported HIV status.

Treatment outcome monitoring


Geographical coverage	Nat	ional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2016 ^a			R-TB cases ed in 2015 ^b
Case-linked data reporting	Yes			
Cases notified	1 035		23	
Success	749	(72.4%)	7	(30.4%)
Died	77	(7.4%)	5	(21.7%)
Failed	0	(0.0%)	0	(0.0%)
Lost to follow-up	31	(3.0%)	1	(4.3%)
Still on treatment	140	(13.5%)	5	(21.7%)
Not evaluated	38	(3.7%)	5	(21.7%)

^a Treatment outcome as presented is treatment outcome after 12 months. ^b Treatment outcome as presented is treatment outcome after 24 months.


TB notification rates by treatment history, 2008-2017




New and relapsed TB cases - notification rates by age group, 2008-2017




TB cases by geographical origin, 2008-2017




TB/HIV coinfection, 2008-2017



MDR-TB cases by previous treatment history, 2008-2017



Treatment outcome, new culture-confirmed pulmonary TB cases, 2007-2016



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2019 – 2017 data. Stockholm: ECDC; 2019