

## **European Legionnaires' Disease Surveillance Network**

## Form B Six Week Post-Cluster Report

ELDSNet Cluster ID: Name of hotel/accommodation site:   Town/ Region: Country:		
Date cluster alert was issued by ECDC ( <i>dd/mm/yyyy</i> ):		
STATEMENT*		
Based on the report received from the investigator, I confirm the	following	
(please answer all questions)	i oliowing.	
	YES	NO
A site risk assessment has been carried out		
Environmental sampling was carried out in response to the cluster		
Legionella was found in the water system(s)		
if yes, species/serogroup and highest level cfu/l		
A routine environmental sampling and control system was in place before	the cluster notification	_
if yes, date last routine control ( <i>dd/mm/yyyy</i> ):		_
Legionella was found in the water system(s) (>=1000 cfu/l at las	st routine)	
Actions were taken in response to the cluster		
if yes, they included – chemical disinfection		
thermal disinfection		
cleaning		
structural improvements		
other ( <i>please specify</i> )		
Recommendations from the competent authorities are implemented in a s	atisfactory way	
Site informed of need to maintain long term preventive measures		
The accommodation site is currently closed entirely		
if yes, this is due to – seasonal closure		
cluster notification		
reopening is planned ( <i>dd/mm/yyyy</i> ) (approximate date)	:	
if no, there is a partial closure (sub-site or installation)		
the following sub-site or installation is closed:		
Additional comments (if any):		
Date of this report to ECDC ( <i>dd/mm/yyyy</i> ): Name of person sendi	ng this report:	

Disclaimer: This statement confirms that the local authority has reviewed the actions taken at the accommodation site. This statement does not imply that the accommodation is the source of infection for any associated case(s). Furthermore, this statement does not confirm or exclude a risk of Legionnaires' disease at the accommodation. The competent public health authorities confirm an investigation at the accommodation site was performed and if relevant, action was taken to minimize the risk of Legionnaires' disease at the accommodation. Should any further information come to light, a new investigation in accordance with ELDSNet Operating Procedures may be required. An investigation report of the site may be available at the local authority level in the country. Note that routine sampling, water management plans, control systems and actions taken in response to a cluster may depend according to country relevant legislation.