Tuberculosis surveillance and monitoring in Europe 2018.



2016 data Lithuania

Total population at 22 September 2017 by EUROSTAT: 2888558

Tuberculosis case notifications 2016

Tubercutosis cuse notificatio	/115, 2010		
Total number of cases	1	442	
Notification rate per 100 000	4	49.9	
New* & relapses	1	347	
New* & relapses notification rate per 100 000	46.6		
Pulmonary	1327	(92.0%)	
of which microscopy-positive	827	(62.3%)	
of which laboratory confirmed	1171	(88.2%)	
Laboratory-confirmed TB cases	1201	(83.3%)	
Mean age of new native TB cases	46.0 years		
Mean age of new foreign TB cases	57.3	years	
Foreign origin of all TB cases	13	(0.9%)	
New (not previously treated)	1150	(79.8%)	


* Cases with unknown previous treatment included in new cases.

Drug resistance surveillance & TB-HIV

co-infection, 2016			
Completeness of DRS data*	Yes		
Completeness of HIV data**	Yes		
Case-linked data reporting	Yes		
Cases with DST results	1201	(100.0%)	
Estimated RR-TB among notified pulmonary cases N, (best–low–high)	260-240-290		
Pulmonary MDR TB cases notified	242	(20.7%)	
of which XDR TB cases	58	(24.0%)	
Notified MDR TB	244	(20.3%)	
of which XDR TB cases	58	(23.8%)	
TB cases tested for HIV	1 138	(78.9%)	
HIV-positive TB cases	41	(3.6%)	
of these on antiretroviral therapy	-	-	

* National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+ 75%, EQA 95%. ** More than 50% of TB cases with reported HIV status.


Tuberculosis notification rates by treatment history, 2007–2016



Tuberculosis cases by geographical origin, 2007–2016

Native Foreign origin ----- Unknown 3000 2500 of cases 2000 1500 No. 1000 500 0 2007 2009 2011 2013 2015

MDR TB cases by previous treatment history, 2007–2016




Treatment outcome monitoring


Geographical coverage	Nat	tional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2015*			R TB cases l in 2014**
Case-linked data reporting	١	/es		
Cases notified	894		271	
Success	607	(67.9%)	32	(11.8%)
Died	111	(12.4%)	59	(21.8%)
Failed	12	(1.3%)	7	(2.6%)
Lost to follow-up	66	(7.4%)	37	(13.7%)
Still on treatment	97	(10.9%)	131	(48.3%)
Not evaluated	1	(0.1%)	5	(1.8%)

* Treatment outcome as presented is treatment outcome after 12 months. ** Treatment outcome as presented is treatment outcome after 24 months.


New and relapsed TB cases - notification rates by age group, 2007-2016



TB-HIV co-infection, 2007–2016



Treatment outcome, new culture-confirmed pulmonary TB cases, 2006-2015



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2018 – 2016 data. Stockholm: ECDC; 2018

 $\ensuremath{\mathbb{C}}$ European Centre for Disease Prevention and Control/WHO Regional Office for Europe, 2018