# Tuberculosis surveillance and monitoring in Europe 2018.





## 2016 data

# Slovakia

Total population at 22 September 2017 by EUROSTAT: 5426252

#### Tuberculosis case notifications, 2016

Total number of cases	296	
Notification rate per 100 000	5.5	
New* & relapses	281	
New* & relapses notification rate per 100 000	5.2	
Pulmonary	253	(85.5%)
of which microscopy-positive	88	(34.8%)
of which laboratory confirmed	115	(45.5%)
Laboratory-confirmed TB cases	117	(39.5%)
Mean age of new native TB cases	44.4 years	
Mean age of new foreign TB cases	30.4 years	
Foreign origin of all TB cases	11	(3.7%)
New (not previously treated)	257	(86.8%)

<sup>\*</sup> Cases with unknown previous treatment included in new cases.

## Drug resistance surveillance & TB-HIV co-infection, 2016

Completeness of DRS data*	N	lo
Completeness of HIV data**	No	
Case-linked data reporting	Yes	
Cases with DST results	113	(96.6%)
Estimated RR-TB among notified pulmonary cases N, (best-low-high)	1-0-4	
Pulmonary MDR TB cases notified	3	(2.7%)
of which XDR TB cases	0	(0.0%)
Notified MDR TB	3	(2.7%)
of which XDR TB cases	0	(0.0%)
TB cases tested for HIV	132	(44.6%)
HIV-positive TB cases	0	(0.0%)
of these on antiretroviral therapy	0	(0.0%)


<sup>\*</sup> National coverage 100% or culturing 90%, C+/All TB

#### Treatment outcome monitoring


Geographical coverage	Na	tional		
Outcome cohort	pulmona	ure positive ry TB cases d in 2015*	All MDR TB cases notified in 2014**	
Case-linked data reporting	Yes			
Cases notified	136		3	
Success	119	(87.5%)	1	(33.3%)
Died	14	(10.3%)	2	(66.7%)
Failed	0	(0.0%)	0	(0.0%)
Lost to follow-up	1	(0.7%)	0	(0.0%)
Still on treatment	1	(0.7%)	0	(0.0%)
Not evaluated	1	(0.7%)	0	(0.0%)

<sup>\*</sup> Treatment outcome as presented is treatment outcome after 12 months.


## Tuberculosis notification rates by treatment history, 2007–2016




# New and relapsed TB cases – notification rates by age group, 2007–2016



### Tuberculosis cases by geographical origin, 2007-2016




### TB-HIV co-infection, 2007-2016



## MDR TB cases by previous treatment history, 2007–2016



# Treatment outcome, new culture-confirmed pulmonary TB cases, 2006–2015



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2018 – 2016 data. Stockholm: ECDC; 2018

<sup>\*\*</sup> More than 50% of TB cases with reported HIV status.

<sup>\*\*</sup> Treatment outcome as presented is treatment outcome after 24 months.