# Tuberculosis surveillance and monitoring in Europe 2016



# Czech Republic Total population on 1 January 2014 by EUROSTAT: 10512 419

Tuberculosis case notification	ns. 2014		
Total number of cases		514	
Notification rate per 100 000	i i	4.9	
New* & relapses	L	474	
New* & relapses notification rate per 100 000		4.5	
Pulmonary	441	(85.8%)	
of which microscopy-positive	193	(43.8%)	
of which laboratory confirmed	331	(75.1%)	
Laboratory-confirmed TB cases	367	(71.4%)	
Mean age of new native TB cases	57.3	57.3 years	
Mean age of new foreign TB cases	39.0	39.0 years	
Foreign origin of all TB cases	96	(18.7%)	
New (not previously treated)	474	(92.2%)	

<sup>\*</sup> Cases with unknown previous treatment included in new cases


Completeness of DRS data*	Yes		
Completeness of HIV data**	No		
Case-linked data reporting	Yes		
Cases with DST results	341	(92.9%)	
Estimated MDR N, (best-low-high)	0-0-0		
Pulmonary MDR cases	5	(1.5%)	
of which XDR cases	0	(0.0%)	
Notified MDR	5	(1.5%)	
of which XDR cases	0	(0.0%)	
TB cases tested for HIV	146	(28.4%)	
HIV-positive TB cases	3	(2.1%)	
of these on antiretroviral therapy	-	-	

 $<sup>^{\</sup>star}$  National coverage 100% or culturing 90%, C+/All TB cases 50%, DST done for C+ 75%, EQA 95%.


Treatment outc	ome mor	iitoring		
Geographical coverage	Na	tional		
Outcome cohort	New culture positive pulmonary TB cases notified in 2013* Yes		All MDR TB cases notified in 2012**	
Case-linked data reporting				
Cases notified	308		4	
Success	207	(67.2%)	1	(25.0%)
Died	70	(22.7%)	1	(25.0%)
Failed	0	(0.0%)	0	(0.0%)
Lost to follow-up	21	(6.8%)	1	(25.0%)
Still on treatment	6	(1.9%)	1	(25.0%)
Not ovaluated		(1 20/)	٥	(0.0%)

<sup>\*</sup> Treatment outcome as presented is treatment outcome after 12 months.


## Tuberculosis notification rates by treatment history, 2005–2014




#### New and relapsed TB cases - notification rates by age group, 2005-2014




### Tuberculosis cases by geographical origin, 2005-2014




TB-HIV co-infection, 2006-2014



MDR TB cases by previous treatment history, 2005-2014



Treatment outcome, new culture-confirmed pulmonary TB cases, 2004-2013



Source: European Centre for Disease Prevention and Control/WHO Regional Office for Europe. Tuberculosis surveillance and monitoring in Europe 2016. Stockholm: ECDC; 2016

<sup>\*\*</sup> More than 50% of TB cases tested for HIV.

<sup>\*\*</sup> Treatment outcome as presented is treatment outcome after 24 months.